

On-Premises Roller Ironer

I30-160, I30-200AV

Features

- Attractive design
- Standard finger guard protection
- When unattended, the device shuts off automatically
- Reduced number of mechanical and moving parts for a lower maintenance cost
- Homogeneous ironing pressure to ensure top ironing quality
- PID controlled temperature regulation offering better temperature distribution and reduced energy consumption
- Long-life heating elements
- Anodised extruded aluminium profile avoiding temperature drop and ensuring top ironing quality
- All vital components are easily accessible
- Backside of the basin is insulated with 25 mm ceramic wool
 - no energy waste
 - quick temperature rise

Options

- Frequency inverter enabling variable ironing speed
- Fan exhaust



Control panel



Easy Operation



One Operator Only



Compact Design



Global Ironing Solution

On-Premises Roller Ironer

Specifications

	I30-160	I30-160AV**	I30-200AV**
ROLLER DIMENSIONS			
Length [mm]	1600	1600	2000
Diameter [mm]	290	290	290
Capacity [kg/h]	32 – 50	32 – 50	52-79
Relative Humidity [%]	20 – 25	20 – 25	40-45
Type of Heating	Electric	Electric	Electric
Speed [m/min]	3.9	2 – 4	2 – 4
CONNECTION			
230/50/1 [V/Hz/Phase]	n/a	n/a	n/a
230/50/3 [V/Hz/Phase]	40 A	40 A	50 A
230/60/1 [V/Hz/Phase]	n/a	n/a	n/a
230/60/3 [V/Hz/Phase]	40 A	40 A	50 A
400/50/3 [V/Hz/Phase]	25 A	25 A	32 A
400/60/3 [V/Hz/Phase]	25 A	25 A	32 A
440/60/3 [V/Hz/Phase]	25 A	25 A	32 A
480/60/3 [V/Hz/Phase]	16 A	16 A	25 A
Heating Power [kW]	13.2	13.2	16.8
Motor Rated Input [kW]	0.48	0.67	0.67
Total Electric Supply [kW]	13.68	13.87	17.47
Exhaust Diameter [mm]	60	60	60
DIMENSIONS			
Height [mm]	1100	1100	1100
Width [mm]	2200	2200	2600
Depth [mm]	500	500	500
TRANSPORT DATA [mm]			
Height [mm]	1260	1260	1260
Width [mm]	2280	2280	2690
Depth [mm]	590	590	590
Net Weight [kg]	262	262	294
Gross Weight [kg]	300	300	350

*Option V = Variable Speed & Adjustable Temperature


**Option AV = Variable Speed, Adjustable Temperature, & Suction Fan

On-Premises Roller Ironer

Dimensions

	Height	Width	Depth
I30-160	1100	2200	500
I30-200AV	1100	2600	500

All measurements are in mm.



- 1 Control panel
- 2 Emergency stop button
- 3 Manual roller drive
- 4 Main switch and power supply